

中航电测仪器（西安）有限公司

ZHONGHANG ELECTRONIC MEASURING INSTRUMENTS(XI'AN) CO., LTD.

传感控制选型手册

SENSING AND CONTROLLING SELECTION GUIDE



ZEMIC



中航电测仪器（西安）有限公司

ZHONGHANG ELECTRONIC MEASURING INSTRUMENTS(XI'AN) CO., LTD.

中国航空工业集团有限公司（简称“中国航空工业集团”）是由中央管理的国有特大型企业，经营范围涵盖航空武器装备、军用运输类飞机、直升机、机载系统、通用航空、航空研究、飞行试验、航空供应链与军贸、专用装备、汽车零部件、资产管理、金融、工程建设等产业，下辖100余家成员单位、26家上市公司，员工逾40万人。

中航电测仪器（西安）有限公司（简称“电测”）是中国航空工业集团下属成员单位，聚焦“智能测控”领域，秉承“技术同源、产业同根、价值同向”原则，确立了航空防务、传感控制、数智产业、智能交通四大业务板块，是国内提供军民两用智能测控产品及系统解决方案的骨干企业。

电测坚持“以客户为中心，以贡献者为本，创造价值，向上向善”的价值文化理念，以“成为世界电测先锋，做世界一流的智能测控产品解决方案供应商”为愿景，在“一业领跑、两翼齐飞、三维拓展、多方共赢”的发展策略指引下，全面推进深化改革、科技创新和数智转型，形成了围绕“智能测控”领域的多元产业布局，具备科研、试验、生产和自主研发信息化、自动化设备能力的高科技工业体系，多项技术达国际领先水平，多项产品获国家级或省部级奖项，先后荣获国家级制造业单项冠军示范企业，国家级专精特新企业，国家级高新技术企业，国家级知识产权优势企业，省级企业技术中心，省级传感器、物联网双“链主”企业。拥有陕西计量科学研究院电测力传感器计量工程中心，机器人研究中心等10个省级创新平台。实现了应变电测产品从无到有，从低端到中高端，从亦步亦趋到自主创新的跨越。

Aviation Industry Corporation of China, Ltd. (AVIC), centered on aviation and provide complete services to customers in many sectors—from research and development to operation, manufacturing, and financing. The business scope encompasses transport aircraft, helicopters, avionics and systems, general aviation, research and development, flight testing, trade and logistics, assets management, finance services, engineering and construction, automobiles, and other industries. AVIC has over 100 member units and 26 listed companies, with more than 400,000 employees.

Zhonghang Electronic Measuring Instruments (Xi'an) Co., Ltd. (ZEMIC), a member unit of AVIC, specializes in the "Intelligent measurement and control" sector. Guided by the principles of "Shared technological origins, Integrated industrial roots and Aligned value propositions," ZEMIC has established 4 core business divisions: Aviation, Sensing & control, Digital intelligence industries and Intelligent transportation. ZEMIC stands as a leading domestic enterprise providing intelligent measurement controlling products and system solutions.

ZEMIC aspires to "Become measuring excellence worldwide and a world-class provider of intelligent measurement and control product solutions." It has developed a high-tech industrial system integrating R&D, testing, production, and self-developed automation/informatization equipment. ZEMIC boasts multiple internationally leading technologies and award-winning products recognized at national or ministerial levels, including the National Manufacturing Single Champion Demonstration Enterprise, National Specialized, Refined, Distinctive, and Innovative Enterprise, National High-Tech Enterprise, National Intellectual Property Advantage Enterprise, Provincial Enterprise Technology Center and Provincial Dual "Chain Leader" for Sensors and IoT. Besides, ZEMIC operates 10 provincial-level innovation platforms, including the Force Sensor Metrology Engineering Center (affiliated with Shaanxi Institute of Metrology) and Robotics Research Center.



ZEMIC

成 为 世 界 电 测 先 锋

Becoming Measuring Excellence Worldwide

注:本手册内的传感器、应变计型号及参数,仅供参考。

型号 Model	L6B	L6C	L6D	L6D-FS	L6E	L6E3
-------------	-----	-----	-----	--------	-----	------

图形 Sketch						
--------------	---	---	---	--	---	---

量程 Capacities	0.3kg ~ 3kg	3kg ~ 50kg	2.5kg ~ 50kg	30~50kg	50kg ~ 300kg	50kg ~ 300kg
精度等级 Accuracy Class	C3D	C3D	OIML R60 C5 NTEP III 5	C3	OIML R60 C5 NTEP III 5	OIML R60 C4&C5 NTEP III 5
灵敏度 Rated output (mv/v)	0.9±0.2	1.9±0.2	2.0±0.2	2.0±0.2	2.0±0.2	2.0±0.2
防护等级 Protection Class	IP65	IP65	IP65	IP66	IP65	IP65

型号 Model	BM8D	BM8H	H8H	HM8	H8C	HM8C
-------------	------	------	-----	-----	-----	------

图形 Sketch						
--------------	--	--	--	---	--	--

量程 Capacities	500kg~10t 1Klb ~ 20Klb	250kg~5.0t 0.5Klb ~ 10Klb	0.25t~5t, 0.5Klb ~ 10Klb	1t~30t	500kg~10kg 1Klb ~ 20Klb	0.5t ~ 5t
精度等级 Accuracy Class	OIML R60 C3&C5 NTEP III 5, III L10	OIML R60 C3 NTEP III, III L NTEP III 5, III L10	C3	C3	OIML R60 C5 NTEP III, III L NTEP III 5, III L10	C3
灵敏度 Rated output (mv/v)	2.0±0.04	2.0±0.02	3.0±0.004 2.0±0.002	2.0±0.002	3.0±0.003 2.0±0.002	2.0±0.004
防护等级 Protection Class	IP68	IP68	IP67	IP68	IP67	IP68

型号 Model	DH8C	DB8D	BM6G-W3	BM11-W5	HM10B	DHM14Gd31
-------------	------	------	---------	---------	-------	-----------

图形 Sketch						
--------------	---	---	---	--	---	---

量程 Capacities	0.5t-5t	0.5t-5t	10kg-600kg	20kg	2t,10t-60t	10-50t
精度等级 Accuracy Class	C3	C3	C3-C5	C3	D0.2	C3
灵敏度 Rated output (mv/v)	100万内码	100万内码	2.0±0.2	2.0±0.2	0.7-1.8	100万内码
防护等级 Protection Class	IP67	IP67	IP68	IP68/IP69K	IP68	IP68

L6G	L6F	L6H5	L6N	L6Q	L6T	L6W
						
50kg ~ 600kg	50kg ~ 2000kg	4kg ~ 20kg	3kg ~ 100kg	50kg ~ 250kg	50kg ~ 1000kg 100lb ~ 1kb	50kg ~ 635kg
OIML R60 C3&C4	OIML R60 C3	OIML R60 C3	OIML R60 C3&C4 NTEP III 5	OIML R60 C5 NTEP III 5	OIML R60 C3&C4	OIML R60 C3
2.0±0.2	2.0±0.2	2.0±0.2	2.0±0.2	2.0±0.2	2.0±0.2	2.0±0.2
IP65	IP65	IP65	IP65	IP65	IP65	IP65
B8Q H8Q	BM11 HM11	B9B1	DHM9A	HM9A	DHM9B	HM9B
						
200kg~2t	5kg ~ 500kg	2t	10t ~ 50t	10t ~ 50t	10t ~ 50t	10t ~ 50t
OIML R60 C3	OIML R60 C4 NTEP III, III L NTEP III 5, III L10	C3	C3	C3	OIML R60 C3	OIML R60 C3
2.0±0.002	2.0±0.02	1.2±0.004	100万内码	2.0±0.002	100万内码	2.0±0.002
IP67	IP68	IP67	IP68	IP68	IP68	IP68
DHM14H1d31	DHM14C	BM24L10	BM24R	HM24L	HM24L3	HM24Z
						
10-50t	30t,40t	5t,10t	60kg ~ 60t	1t	2t	15t
C3	C3	C1	OIML R60 C5 NTEP III 5	G5	G5	C2
100万内码	100万内码	2.0±0.01	1.0±0.1 1.75±0.1 2.0±0.1	1.0±0.004	2.0±0.01	1±0.01
IP68	IP68	IP68/IP69K	IP68	IP68	IP68	IP68

L6P1	B6F H6F	B6G H6G	B6G5	B6N	B6Q	BM6A
						
3.75kg-375kg	100kg ~ 2000kg	100kg ~ 600kg	50kg ~ 2.0t	15kg ~ 200kg	50kg ~ 250kg	6kg ~ 60kg
C3&C4	OIML R60 C3	C3	C3	OIMLR60 C3&C4	C3	OIMLR60 C3
1.0±0.002	2.0±0.002	2.0±0.002	2.0±0.002	2.0±0.002	2.0±0.002	2.0±0.002
IP65	IP67	IP67	IP67	IP67	IP67	IP68
B9C	H9C	HM9C	B9D	H9D	B9E	HM9E
						
5Klb ~ 250Klb	5Klb ~ 250Klb	5Klb ~ 250Klb	1Klb ~ 75Klb	1Klb ~ 75Klb	50Klb ~ 150Klb	50Klb ~ 200Klb
C3 NTEPⅢ5, ⅢL10	OIML R60 C3 NTEPⅢ, ⅢL NTEPⅢ5, ⅢL10	OIML R60 C3	N3	OIML R60 C5 N3	N10	OIML R60 C3 N10 NTEPⅢ5, ⅢL10
3.0±0.003	3.0±0.003	3.0±0.008	3.0±0.008	3.0±0.008	3.0±0.003	3.0±0.003
IP67	IP67	IP68	IP67	IP67	IP67	IP68
ATB04	YB1	YB14C	YB15	YB15A	YT10	FYB14
						
600N・m,700N・m, 1000N・m,1500N・m, 2000N・m	1Mpa ~ 35Mpa	1Mpa ~ 35Mpa	15Mpa ~ 100Mpa	20Mpa ~ 50Mpa	0.6Mpa ~ 20Mpa	5Mpa ~ 20Mpa
C5	0.1,0.2	0.3	0.1	0.1	0.1,0.2,0.3	0.2,0.3
1.0 ~ 2.0	1.0±0.2	1.0±0.1	1.5±0.2	1.5±0.1	1.5±0.2	0 ~ 5v、1 ~ 5v
IP66	IP65	IP65	IP65	IP65	IP65	IP65

BM6G	BM6E	H6Z	H2A	H2D	H2F	B3G H3G
------	------	-----	-----	-----	-----	------------



10kg ~ 500kg	50kg ~ 300kg	75lb,100lb,150lb, 200lb,250lb	1MN ~ 5MN	5.0t ~ 20t	1.0t ~ 50t	50kg ~ 10t 50lb ~ 20Klb
OIMLR60 C3&C5	C3	C2	G2,G3 G5,G10	C2	C1,C2,C3	OIML R60 C3 NTEP III, III L NTEP III 5, III L10
2.0±0.002	2.0±0.002	2.0±0.2	≥2.0	2.0±0.008	2.0±0.01	3.0±0.008
IP68	IP68	IP66	IP67	IP67	IP67	IP67

B9F	H9G	H9M	B9H H9H	B9N	H9N	BM14A
-----	-----	-----	------------	-----	-----	-------




10Klb ~ 75Klb	2.0t ~ 5.0t	2.0t ~ 5.0t	50Klb ~ 100Klb	10Klb ~ 125Klb	25Klb ~ 200Klb	10t~100t 10Klb ~ 500Klb
N10	C3	C2	N5	N5	N5	OIML R60 C3 N10
3.0±0.003	2.0±0.1	2.0±0.02	3.0±0.003	3.0±0.003	3.0±0.003	2.0±0.002
IP67	IP67	IP67	IP67	IP67	IP67	IP68

YSJ	1F6-S	004-G	Q45×6(8,10) ×6-7.5G	Q47×20×6.6	Q70×5×9-H	2D
-----	-------	-------	------------------------	------------	-----------	----










2mm	2Kg ~ 6Kg	300g ~ 1.5Kg	150g	100g ~ 1000g	20g ~ 200g	24kg
0.5	0.05	0.02	0.05	0.05	0.05	0.05
2.0±0.2	1.05±0.15	0.9±0.1	0.7±20%	0.6±20% 0.9±20%	0.5±0.15	2.8±0.2
测量混凝土表面裂 缝张开等类似位移 Displacement Measuring	厨房秤 Kitchen Scales	厨房秤 Kitchen Scales	手掌秤 Handable Scales	手掌秤 Handable Scales	手掌秤 Handable Scales	人体秤 Personal Scales

B3L1	H3	H3F	2H3	L3V	BM3	B8D
						
5t、15t、30t	25kg ~ 30t 100lb ~ 20Klb	100kg ~ 5.0t 250lb ~ 20Klb	5KN ~ 300KN	200kg~500kg	500kg ~ 7.5t	500kg~5.0t 250lb ~ 20Klb
C3	OIML R60 C4 NTEPⅢ5, ⅢL10	C3 NTEPⅢ5, ⅢL10	C2	C2	OIML R60 C3 NTEPⅢ5, ⅢL10	OIML R60 C3&C5
1.5±0.02	2.0±0.004 (公制Metric) 3.0±0.008 (英制imperial)	3.0±0.008	≥1.9	2.3±0.04	2.0±0.004	3.0±0.008
IP67	IP67	IP67	IP67	IP65	IP68	IP67
BM14C	HM14C	BM14D	BM14G	HM14H1	HM14L	BM14K
						
0.5t ~ 50t	10t ~ 50t	10t ~ 100t	10t ~ 50t	15t-50t	30t、40t	10t ~ 100t
OIML R60 C3	OIML R60 C3&C4	C2	OIML R60 C3 NTEPⅢ5, ⅢL10	C3	C3	OIML R60 C3 NTEPⅢ5, ⅢL10
2.0±0.002	2.0±0.004	1.5±0.003	2.0±0.002	2.0±0.002	2.0±0.04	2.0±0.002
IP68	IP68	IP68	IP68	IP68	IP68	IP68
2F	1P	1Z-80-22	L6D-DT	L6N1		
						
20kg	3 ~ 50kg	3kg-15kg	3kg-40kg	10-100kg		
0.1	0.02	C3	C3	C3		
2.5±0.4	2.0±0.1	2.0±0.2	1.8±0.2	1.9±0.2		
人体秤 Personal Scales	桌秤 Table Scales	IP65	IP65	IP65		

型号 Model	1P-100-WP	1B	1A	Q84X5 X12-0.5	ART-MG
图形 Sketch					
量程 Capacities	5、15、40 kg	5~50kg	0.5~3kg	20~100g	40t
精度等级 Accuracy Class	0.03	0.03	0.02	0.05	0.3
灵敏度 Rated output (mv/v)	2.0±0.2	1.8±0.1	1.2±0.1	0.5±0.15	± 1.5 0.2
防护等级 Protection Class	防水称 Waterproof Scales	手提秤 Portable Scales	电子天平 Electronic Balance	手掌秤 Pocket Scales	支撑杆应力测试 Stress Testing
型 号 Model	HM-8-401	BM-8-404	HM-8-402	BM-8-406	BM-11-401
图 形 Sketch					
量 程 Capacities	0.5t ~ 20t	0.5t~5t, 1Klb~10Klb		0.25t ~ 5t 500lb ~ 10Klb	5kg~200kg 350kg~500kg
说 明 Description	合金钢，配套传感器： H8,HM8。 Alloy steel, assembled with: H8,or HM8.	不锈钢、合金钢，配套传感器： H8C/B8D/HM8C/BM8D Stainless steel, Alloy steel, assembled with:H8C,B8D,HM8C,or BM8D.		不锈钢，配套传感器： BM8H,H8H。 Stainless steel, assembled with: BM8H,or H8H.	不锈钢安装模块， 配套传感器： BM11,HM11 Stainless steel, assembled with: BM11,HM11
型 号 Model	HY-14-146	HM-14-401	HM-14-403	BM-14-414	JB 01
图 形 Sketch					
量 程 Capacities	10t~30t	10t ~ 50t	10t ~ 50t	0.5t~5t 10t~50t	
说 明 Description	合金钢安装模块， 配套传感器： HM14H1 Alloy steel, assembled with: HM14H	合金钢， 配套传感器： HM14C,BM14C。 Alloy steel, assembled with: HM14C,or BM14C.	合金钢， 配套传感器： HM14C,BM14C。 Alloy steel, assembled with: HM14C,or BM14C.	不锈钢安装模块， 配套传感器： BM14C,HM14C Stainless steel, assembled with: BM14C,HM14C	2~8通道，铸铝 2~8 Channel, cast aluminum






H2B	ZKY-1	型 号 Model	HL-3-001/002	HL-3-003	HL-3-004/005	HJ-8-201
		图 形 Sketch				
3110N	30kN	量 程 Capacities	25Kg ~ 5t	25Kg ~ 5t	25Kg ~ 5t	0.5t ~ 5t 250lb ~ 10Klb
0.5	0.3					
1.5±0.2	1.2±0.2					
吊挂测力 Stress Measuring	钻孔应力测量 Stress Measuring		合金钢， 配套S型传感器。 Alloy steel, assembled with: S-type load cell	合金钢， 配套S型传感器。 Alloy steel, assembled with: S-type load cell	合金钢， 配套S型传感器。 Alloy steel, assembled with: S-type load cell	合金钢， 配套传感器：H8C， B8D, HM8C, BM8D。 Alloy steel, assembled with: H8C, B8D, HM8C or BM8D
BM-11-402	HM-9-401	BM-9-402	BM-9-404	HM-9-403	HM-2-401	BM-8-411
						
5kg~200kg 350kg~500kg	5K ~ 250K		1K ~ 75K	1t ~ 50t	0.5t~2t	
不锈钢安装模块， 配套传感器： BM11, HM11 Stainless steel, assembled with: BM11, HM11	不锈钢、合金钢，配套传感器: B9C/H9C Stainless steel, Alloy steel, assembled with: B9C/H9C.		不锈钢、合金钢，配套传感器: B9D/H9D Stainless steel, Alloy steel, assembled with: B9D/H9D.	合金钢，配套传感器: H2F Alloy steel, assembled with: H2F	不锈钢安装模块，配套传 感器: BM8H Stainless steel, assembled with: BM8H	
JB 02	JB05A	JB 06	JB 07	FD -3	FD -4	FD -5
						
2~4通道，铸铝 2~4 Channel, cast aluminum	4~8通道，铸铝 4~8 Channel, cast aluminum	2~8通道，铸铝 2~8 Channel, cast aluminum	2~4通道，铸铝 2~4 Channel, cast aluminum	电压/电流输出 Current/ Voltage output 4~20mA 0~5vDC 1~5vDC	电压/电流输出 Current/ Voltage output 4~20mA 0~5V	电压/电流输出 Current/ Voltage output 4~20mA 0~5V

HY-8-101	HY-8-102	BY-8-106	BJ-8-206	BJ-8-207	BY-8-104
					
0.5t~50t	0.5t~5t	0.5t~2t	0.5t~2t 500lb~4Klb	0.25t~2t 5t 500lb~4Klb 10Klb	0.5t~5t
合金钢, 配套传感器: H8,HM8。 Alloy steel, assembled with: H8,or HM8	合金钢, 配套传感器: H8C, B8D, HM8C,BM8D。 Alloy steel, assembled with: H8C, B8D, HM8C,or BM8D.	不锈钢, 配套传感器: H8C-W2 Stainless steel, assembled with: H8C-W2	不锈钢橡胶支脚组件, 配套传感器: BM8H,H8H Stainless steel, rubber supporting subassembly , assembled with: BM8H,H8H	不锈钢、合金钢 橡胶支脚组件, 配套传感器: BM8H,H8H Stainless steel, rubber supporting subassembly Assembled with: BM8H,H8H	不锈钢, 配套传感器:B8D BM8D,H8C,HM8C。 Stainless steel, assembled with:B8 D BM8D,H8C,or HM8C.
BM-8-412	BY-14-101	BY-14-102	BY-14-103	BY-14-105	BY-14-106
					
0.5t~2t	10t~60t	10t~100t	10t~50t	10t~50t	10t~50t
不锈钢安装模块, 配套传 感器:BM8H Stainless steel, assembled with: BM8H	不锈钢, 配套传感器:BM14A M8螺纹孔用于防旋转要求的 场合。 Stainless steel,Assembled with:BM14A M8 screw hole is for anti-reversal occasion.	不锈钢, 配套传感器:BM14K 底板有定位销用于防旋转。 Stainless steel,Assembled with:BM14K Locating pin on the bottom plate is for anti-rotation occasion.	不锈钢, 配套传感器: BM14C。 Stainless steel, assembled with: BM14C.	不锈钢, 带有定位销可防旋转 配套传感器: BM14G。 Stainless steel, assembled with: BM14G.	不锈钢, 配套传感器: BM14G Stainless steel, assembled with load cell: BM14G
T1	L15B				
					
	10t~15t				
支持模拟量信号输出, 4~20mA/0~20mA/0~ 5V/0~1 0V可选。 Opto-isolated 16-bit analog output (4-20mA (max 300 ohm), 0-20mA, 0-10V, +/-10V, 0-5V, +/- 5V (minimum 10 Kohm) .	便携式承重板 Portable weighing pads				

	BYM(BKM)350-2AA(**)N* BYM(BKM)350-3AA(**)N* BYM(BKM)350-4AA(**)N* BYM(BKM)350-5AA(**)N* BYM(BKM)350-6AA(**)N* BYM(BKM)1000-3AA(**)N*	BYM(BKM)1000-6AA(**)N* ZYM1500-2AA(**)N* ZYM1500-3AA(**)N* ZYM2000-2.1AA(**)N* ZYM2000-3AA(**)N* ZYM2000-4AA(**)N*		BYM(BKM)350-2HA(**)N* BYM(BKM)350-3HA(**)N* BYM(BKM)350-4HA(**)N* BYM(BKM)350-6HA(**)N* BYM(BKM)1000-3HA(**)N*	BYM(BKM)1000-4HA(**)N* ZYM700-4HA(**)N* ZYM1000-3HA(**)N* ZYM1000-4HA(**)N* ZYM2000-3HA(**)N*
	BYM(BKM)350-2HA-A(**)N* BYM(BKM)350-3HA-A(**)N* BYM(BKM)350-4HA-A(**)N* BYM(BKM)350-6HA-A(**)N* BYM(BKM)1000-3HA-A(**)N*	ZYM350-3HA-A(**)N* ZYM650-3HA-A(**)N* ZYM1000-3HA-A(**)N* ZYM1000-4HA-A(**)N*		BYM(BKM)350-2HA-B(**)N* BYM(BKM)350-3HA-B(**)N* BYM(BKM)350-5HA-B(**)N* BYM(BKM)1000-5HA-B(**)N*	
	BYM(BKM)350-2HA-C(**)N* BYM(BKM)350-3HA-C(**)N* BYM(BKM)1000-3HA-C(**)N*			BYM(BKM)350-3AB(**)N* BYM(BKM)350-4AB(**)N* BYM(BKM)350-6AB(**)N* BYM(BKM)350-8AB(**)N* BYM(BKM)500-4AB(**)N*	BYM(BKM)1000-3AB-A(**)N* ZYM350-3AB(**)N* ZYM1000-3AB(**)N* ZYM1000-4AB(**)N*
	BYM(BKM)350-2FB(**)N* BYM(BKM)350-3FB(**)N* BYM(BKM)350-4FB(**)N* BYM(BKM)350-6FB(**)N* BYM(BKM)1000-3FB(**)N* BYM(BKM)1000-6FB(**)N*	ZYM350-3FB(**)N* ZYM350-4FB(**)N* ZYM1000-2FB(**)N* ZYM1000-3FB(**)N* ZYM1000-4FB(**)N* ZYM1000-6FB(**)N*		BYM(BKM)350-3FB-A(**)N*	
	BYM(BKM)350-1BB(**)N* BYM(BKM)350-2BB(**)N* BYM(BKM)350-3BB(**)N* BYM(BKM)350-4BB(**)N* BYM(BKM)350-6BB(**)N*	BYM(BKM)600-4BB(**)N* BYM(BKM)650-4BB(**)N* ZYM1000-2BB(**)N* ZYM1000-3BB(**)N* ZYM1000-6BB(**)N*		BYM(BKM)350-1.6BB-A(**)N* BYM(BKM)350-2BB-A(**)N* BYM(BKM)350-2.1BB-A(**)N* BYM(BKM)350-3BB-A(**)N* BYM(BKM)350-4BB-A(**)N* BYM(BKM)350-6BB-A(**)N*	BYM(BKM)800-2BB-A(**)N* BYM(BKM)1000-4BB-A(**)N* ZYM1000-2.1BB-A(**)N* ZYM1000-2BB-A(**)-KR ZYM1000-3BB-A(**)N*
	BYM(BKM)350-2GB(**)N* BYM(BKM)350-3GB(**)N* BYM(BKM)350-4GB(**)N*			BYM(BKM)350-2GB-AL7(**)N* BYM(BKM)350-3GB-AL0(**)N* BYM(BKM)350-3GB-AL13(**)N* BYM(BKM)350-3GB-AL15(**)N* BYM(BKM)750-3GB-AL0(**)N* BYM(BKM)750-3GB-AL12(**)N* BYM(BKM)750-3GB-AL14(**)N*	ZYM1000-2GB-AL0(**)N* ZYM1000-3GB-AL7(**)N* ZYM1000-3GB-AL0(**)N* ZYM1000-3GB-AL14(**)N* ZYM1100-2GB-AL6(**)N* ZYM2000-2GB-AL0(**)N*
	BYM(BKM)500-2GB-BL8(**)N* BYM(BKM)500-3GB-BL7(**)N* BYM(BKM)500-4GB-BL7(**)N* BYM(BKM)750-2GB-BL12.8(**)N* BYM(BKM)1000-2GB-BL6(**)N*	BYM(BKM)1000-3GB-BL7(**)N* ZYM1000-2GB-BL0(**)N* ZYM1000-3GB-BL6(**)T* ZYM2000-2GB-BL6(**)N* ZYM2000-2GB-BL7(**)N*		BYM(BKM)350-2GB-CL0(**)N* BYM(BKM)350-2GB-CL8(**)N* BYM(BKM)350-3GB-CL15(**)N* ZYM1000-2GB-CL8(**)N* ZYM1000-2GB-CL0(**)N*	
	BYM(BKM)1000-3EB-A(**)N* BYM(BKM)350-2.5EB-A(**)N* ZYM350-2EB-A(**)N* ZYM1000-2EB-A(**)N*			BYM(BKM)350-2FG-L8(**)N* BYM(BKM)350-2FG-L0(**)N* ZYM350-2FG-L8(**)N* ZYM1000-3FG-L0(**)N* ZYM1000-3FG-L12(**)N*	
	BYM(BKM)350-2FG-AL6(**)N* BYM(BKM)350-3FG-AL6(**)N* BYM(BKM)350-3FG-AL0(**)N* BYM(BKM)350-3FG-AL14(**)N*			BYM(ZYM)350-2EB(**) BYM(ZYM)350-3EB(**) BYM(ZYM)1000-2EB(**) BYM(ZYM)1000-3EB(**)	
	ZYM2000-1.3AA(**) ZYM2500-1.3AA(**) ZYM2500-3AA(**)N* ZYM2500-6AA(**)N* ZYM3000-1.3AA(**)	ZYM3000-5AA(**)N* ZYM3000-6AA(**)N* ZYM4500-3.2AA(**) ZYM5000-3AA(**)N* ZYM5000-3.2AA(**)		ZYM1000-05FG-BL2.2(**) ZYM2500-1FG-EL3.4(**)	
	BYM(BKM)350-2FG-CL6(**)N* BYM(BKM)350-3FG-CL0(**)N* ZYM1000-2FG-CL6(**)N* ZYM1000-3FG-CL0(**)N* ZYM1100-2FG-CL6(**)N*			BYM350-(8.1)KA(**) BYM350-(10.2)KA(**) BYM350-(12.1)KA(**) BYM350-(13.1)KA(**) BYM350-(14)KA(**) BYM350-(15.1)KA(**) BYM400-(25)KA(**)	BYM500-(10.5)KA(**) ZYM(ZYN)1000-(14)KA(**) ZYM(ZYN)1700-(13.1)KA(**) ZYM(ZYN)1700-(14)KA(**) ZYM(ZYN)2000-(14)KA(**) ZYM(ZYN)2000-(15)KA(**) ZYM(ZYN)3000-(14)KA(**)
	BYM350-(7-B10)KA(**) BYM400-(25-B27)KA(**) ZYM(ZYN)350-(5-B10)KA(**) ZYM(ZYN)350-(6-B10)KA(**) ZYM(ZYN)1000-(10-B13)KA(**)	ZYM(ZYN)1000-(7-B10)KA(**) ZYM(ZYN)1000-(7-B9)KA(**) ZYM(ZYN)1200-(7-B10)KA(**) ZYM(ZYN)1650-(10-B13)KA(**) ZYM(ZYN)2000-(10-B13)KA(**)		ZYM(ZYN)350-(5)KA-B(**) ZYM(ZYN)350-(6)KA-B(**) ZYM(ZYN)500-(6)KA-B(**) ZYM(ZYN)550-(6-B10)KA-B(**)	ZYM(ZYN)700-(6)KA-B(**) ZYM(ZYN)1000-(6)KA-B(**) ZYM(ZYN)1000-(10)KA-B(**) ZYM(ZYN)2000-(12)KA-B(**)
	ZYM(ZYN)350-(5)KA-C(**) ZYM(ZYN)350-(5.5)KA-C(**) ZYM(ZYN)350-(6)KA-C(**) ZYM(ZYN)350-(9)KA-C(**) ZYM(ZYN)350-(11.6)KA-C(**)	ZYM(ZYN)350-(15)KA-C(**) ZYM(ZYN)500-(5.5)KA-C(**) ZYM(ZYN)1000-(9.5)KA-C(**) ZYM(ZYN)1000-(10)KA-C(**)		BAB(ZAB)350-(10)KA-A(**) BAB(ZAB)350-(20)KA-A(**) BAB(ZAB)1000-(10)KA-A(**)	
	BYM1000-(38)JA-A BYM1000-(50)JA-A BYM1000-(60)JA-A BYM1000-(80)JA-A	BYM1000-(100)JA-A ZYM4000-(37)JA-A ZYM4000-(55)JA-A			

通用应变计

特殊用途应变计

	ZYM(ZA)60-02AA(**) ZYM(ZA)60-03AA(**) ZYM(ZA)60-05AA(**) ZYM(ZA)120-02AA(**) ZYM(ZA)120-03AA(**)	ZYM(ZA)120-03AA-A(**) ZYM(ZA)120-05AA(**) ZYM(ZA)120-05AA-A(**) BQ200-05AA-A(**)		BYM(BA, BQ)120-1AA(**) BYM(BA, BQ)120-1AA-B(**) BYM(BA, BQ)120-2AA(**) BYM(BA, BQ)120-2AA-A(**) BYM(BA, BQ)120-4AA(**) BYM(BA, BQ)120-5AA(**)	BYM(BA, BQ)120-6AA(**) BYM(BA, BQ)120-8AA(**) BYM(BA, BQ)120-10AA(**) BYM(BA, BQ)350-1AA(**) BYM(BA, BQ)350-2AA(**) BAB350-1AA250(**)	BAB350-2AA250(**) BAB350-3AA250(**) BAB350-4AA250(**) BAB350-5AA250(**)
	BYM(BA, BQ)120-20AA(**) BYM(BA, BQ)120-30AA(**) BYM(BA, BQ)120-40AA(**)	BYM(BA, BQ)120-60AA(**) BYM(BA, BQ)120-80AA(**) BYM(BA, BQ)120-100AA(**)		BYM(ZYM, BA, BQ)120-1CA(**) BYM(ZYM, BA, BQ)120-2CA(**) BYM(ZYM, BA, BQ)120-2CA-B(**) BYM(ZYM, BA, BQ)120-3CA(**) BYM(ZYM, BA, BQ)120-4CA(**)	BYM(ZYM, BA, BQ)120-6CA(**) BYM(ZYM, BA, BQ)350-2CA(**) BYM(ZYM, BA, BQ)350-3CA(**) BYM(ZYM, BA, BQ)350-4CA(**)	
	BYM120-2CA-K(**)			ZYM120-1CA-E(**) ZYM120-2CA-E(**) ZYM120-3CA-E(**)		
	BYM(ZYM, BA, BAB)120-06CA-T(**) BYM(ZYM, BA, BAB)120-1CA-T(**) BYM(ZYM, BA, BAB)120-1.6CA-T(**) BYM(ZYM, BA, BAB)120-2CA-T(**)	BYM(ZYM, BA, BAB)120-3CA-T(**) BYM(ZYM, BA, BAB)120-5CA-T(**) BYM(ZYM, BA, BAB)350-3CA-T(**) BYM(ZYM, BA, BAB)350-6.3CA-T(**)		BYM(ZYM)120-1BA(**) BYM(ZYM)120-2BA(**) BYM(ZYM)120-2BA-A(**) BYM(ZYM)120-2BA-K(**) BYM(ZYM)120-3BA(**)	BYM(ZYM)120-4BA(**) BYM(ZYM)120-5BA(**) BYM(ZYM)120-6BA(**) BYM(ZYM)350-2BA(**) BYM(ZYM)350-3BA(**)	
	ZYM120-1CB-A			ZYM(BA)120-1BC(**) ZYM(BA)120-2BC(**) ZYM(BA)120-3BC(**) ZYM(BA)120-4BC(**) ZYM(BA)350-2BC(**)		
	ZYM(BA)120-1CB(**) ZYM(BA)120-2CB(**) ZYM(BA)120-3CB(**) ZYM(BA)120-4CB(**)			ZYM(BA)120-1CC(**) ZYM(BA)120-2CC(**) ZYM(BA)120-3CC(**) ZYM(BA)120-4CC(**)		
	BYM(ZYM)120-1GD(**) BYM(ZYM)120-2GD(**) BYM(ZYM)120-1GD(**) BYM(ZYM)120-2GD(**)			BYM(ZYM)120-3FD(**) BYM(ZYM)120-4FD(**)		
	BYM120-3HA-C(**)N4-HC3C BYM350-3HA-C(**)N4-HC3D BYM1000-3HA-C(**)N4-HC3E			BYM120-3CA-T(**)-CT3C BYM120-2CA-T(**)-CT2C		
	BYM120-3AA(**)N4-A3C BYM120-5AA(**)N4-A5C BYM350-3AA(**)N4-A3D BYM350-5AA(**)N4-A5D			TY120-3AA(10%)-C TY120-5AA(10%)-C THY120-3AA(15%)-C THY120-5AA(15%)-C		

辅助产品及料具

接线端子
Terminal Tabs



DTA3-G1



DHA3-G1



DTA3-G2



DTA3-G3



DTB6-G4



DTA3-G5



DTA3-G6





ZEMIC

www.zemic.com.cn

服务热线 Customer hotline : (0086) 4007-300-114

陕西省西安市高新区西部大道 166 号

Add: No.166, West Avenue, Hi-Tech District, Xi'an, Shaanxi, China.

技术规格如有改变，恕不另行通知，本公司保留最终解释权和修改权。

2025 - 04 - 01

There is no special declaration if any change in the specification. ZEMIC reserves the rights in the final interpretation and modification.